



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/823,693	04/14/2004	Vernon R. Rothschild	740792-146	5353

22204 7590 02/15/2007
NIXON PEABODY, LLP
401 9TH STREET, NW
SUITE 900
WASHINGTON, DC 20004-2128

EXAMINER

WILLSE, DAVID H

ART UNIT	PAPER NUMBER
----------	--------------

3738

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	02/15/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

HP

Office Action Summary	Application No.		Applicant(s)	
	10/823,693		ROTHSCHILD ET AL.	
	Examiner		Art Unit	
	Dave Willse		3738	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 April 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on April 14, 2004, is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>4-14-04</u> . | 6) <input type="checkbox"/> Other: _____ |

The disclosure is objected to because of the following informalities: On page 17, line 5, “show” should be replaced by --shown--. In claim 3, line 3, “reconnected” should be replaced by --reconnecting--. Appropriate correction is required.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the two pieces of the socket adapter (claim 3), the keel access orifice (claim 5), the aluminum foil (claims 6 and 7), and the pantyhose (claim 8) must be shown or the features canceled from the claims. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either “Replacement Sheet” or “New Sheet” pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

Art Unit: 3738

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is unclear as to whether the pylon and socket adapter are *present* in (claim 1, line 2) or substantially completely *absent* from (claim 1, last two lines) the prosthesis as claimed.

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s) (e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969)).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-7 and 10 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over the claims of U.S. Patent No. 6,497,028 B1. Although the conflicting claims are not identical, they are not patentably distinct from each other because the present features are found in the language of the patent claims.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 3738

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1, 2, 4, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schmitt, DE 41 25 635 A1: Derwent abstract; Figures 3 and 4. The drawings illustrate a foot, keel, pylon, and socket adapter assembled to form a leg prosthesis and a coating (Derwent title) draped on the assembled unit, wherein the pylon and socket adapter are removed or spaced apart from an interior of the coating. The socket being custom molded or cast to fit a particular residual leg stump was well known in the art at the time of the present invention and would have been obvious in order to improve the fit and comfort for the amputee. Copolymer silicone

coatings were likewise common in the art and would have been obvious in order to optimize physical properties of the coating.

Claims 1-3, 5, and 10 are rejected under 35 U.S.C. 102(e) as being anticipated by Skardoutos et al., US 5,993,487, which discloses a foot **38**, a keel **16** or **22**, a pylon **20**, a socket adapter **42** and **48**, a socket **40** (column 5, lines 19-20; MPEP § 2113), and a coating of copolymer (column 3, line 40 et seq.), wherein the pylon **20** is removed (column 4, lines 48-49) and the socket adapter is “removed” in the sense that it is not within an interior of the copolymer coating (Figures 1 and 4). Regarding claim 3, internal and external screw threads are cut in the elements **42** and **48** so that they can be threadingly connected to each other; attention is again directed to MPEP § 2113.


Claims 4 and 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Skardoutos et al., US 5,993,487. Regarding claim 4, the particular copolymer blend would have been an obvious variant on that mentioned in column 3, lines 42-45, so as to provide a diversity of energy storing response characteristics and other physical properties to match the amputee’s weight, activities, and so on (column 3, lines 45-54), with further motivation having been provided by the statement at column 3, lines 54-56. Well known in the art of anatomical molding, aluminum foil covering the nylon stocking (column 4, line 9) would have been obvious in order to affix the stocking onto the pylon in a uniform manner (column 4, lines 9-19).

Claims 1, 2, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Palfray, US 5,004,477, which illustrates all the elements of claim 1, including a socket adapter integral with the pylon **25** and shaped to match the socket **1** (column 4, lines 6-8 and 15-16), except that the particulars on the hardening resin (column 4, lines 20-25) are unspecified.

Art Unit: 3738

Copolymers, however, were well known in the art and would have been obvious to the ordinary practitioner because of their favorable mechanical properties and reduced weight (column 3, lines 9-13). Regarding claim 9, the pylon **25** being of foam would have been obvious in order to facilitate removal (Figure 10; column 4, lines 26-28).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dave Willse whose telephone number is 571-272-4762 and who is generally available Monday through Thursday and often on Friday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Dave Willse
Primary Examiner
Art Unit 3738